

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

**SECTION 1. IDENTIFICATION**

Product name : Buffer QC

**Manufacturer or supplier's details**Company : QIAGEN GmbH  
QIAGEN Str. 1  
D-40724 Hilden

Telephone : +49-02103-29-0

Responsible Department : QIAGEN Inc.  
19300 Germantown Road  
Germantown, MD 20874, USA  
Tel.: 800-426-8157  
<http://support.qiagen.com>E-mail : [cpc@qiagen.com](mailto:cpc@qiagen.com)  
addressResponsible/issuing  
personEmergency telephone : CHEMTREC  
USA & Canada 1-800-424-9300**Recommended use of the chemical and restrictions on use**

Recommended use : Laboratory chemicals

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3

Eye irritation : Category 2A

**GHS Label element**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.  
H319 Causes serious eye irritation.Precautionary Statements : **Prevention:**  
P210 Keep away from heat/sparks/open flames/hot surfaces.  
No smoking.  
P280 Wear protective gloves/ protective clothing/ eye protection/

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

face protection.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

| Chemical Name                       | CAS-No.   | Concentration (% w/w) |
|-------------------------------------|-----------|-----------------------|
| 2-propanol                          | 67-63-0   | $\geq 10$ - $< 20$    |
| 3-Morpholinopropane-1-sulfonic acid | 1132-61-2 | $\geq 1$ - $< 10$     |

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.
- If inhaled : If unconscious place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.  
If symptoms persist, call a physician.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- If swallowed : If accidentally swallowed obtain immediate medical attention.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
No information available.
- Notes to physician : No information available.

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.  
Exposure to decomposition products may be a hazard to

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

health.

- |  |   |  |
|--|---|--|
| Hazardous combustion products                  | : | No hazardous combustion products are known   |
| Specific extinguishing methods                 | : | In the event of fire and/or explosion do not breathe fumes. Use a water spray to cool fully closed containers. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary.   |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |   |   |  |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.<br>Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. |
| Environmental precautions   | : | Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.   |
| Methods and materials for containment and cleaning up               | : | Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  |

**SECTION 7. HANDLING AND STORAGE**

- |   |   |  |
|---|---|--|
| Advice on protection against fire and explosion | : | Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.  |
| Advice on safe handling                         | : | Avoid formation of aerosol.<br>Do not breathe vapors/dust.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Open drum carefully as content may be under pressure.<br>Dispose of rinse water in accordance with local and national regulations. |
| Conditions for safe storage                     | : | Keep container tightly closed in a dry and well-ventilated place.  |
| Materials to avoid                              | : | Do not store together with oxidizing and self-igniting products.   |

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

| Ingredients | CAS-No. | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-------------|---------|----------------------------------|---|-----------|
| 2-propanol  | 67-63-0 | TWA                              | 200 ppm   | ACGIH     |
|             |         | STEL                             | 400 ppm   | ACGIH     |
|             |         | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | NIOSH REL |
|             |         | ST                               | 500 ppm<br>1,225 mg/m <sup>3</sup>                | NIOSH REL |
|             |         | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | OSHA Z-1  |
|             |         | TWA                              | 400 ppm<br>980 mg/m <sup>3</sup>                  | OSHA P0   |
|             |         | STEL                             | 500 ppm<br>1,225 mg/m <sup>3</sup>                | OSHA P0   |

**Hazardous components without workplace control parameters**

| Ingredients                         | CAS-No.   |
|-------------------------------------|-----------|
| 3-Morpholinopropane-1-sulfonic acid | 1132-61-2 |

**Biological occupational exposure limits**

| Ingredients | CAS-No. | Control parameters | Biological specimen | Sampling time                   | Permissible concentration | Basis     |
|-------------|---------|--------------------|---------------------|---------------------------------|---------------------------|-----------|
|             | 67-63-0 | Acetone            | Urine               | End of shift at end of workweek | 40 mg/l                   | ACGIH BEI |

**Personal protective equipment****Hand protection**

Material : Protective gloves

Material : Nitrile rubber

Break through time : 480 min

Glove thickness : 0.35 mm

Remarks : The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

|                          |  |
|--------------------------|--|
| Eye protection           | : Safety glasses<br>Wear face-shield and protective suit for abnormal processing problems.<br>Ensure that eyewash stations and safety showers are close to the workstation location.   |
| Skin and body protection | : Choose body protection according to the amount and concentration of the dangerous substance at the work place.<br>Footwear protecting against chemicals<br>Workers should wear antistatic footwear.  |
| Hygiene measures         | : Keep away from food and drink.<br>Wash hands before breaks and at the end of workday.<br>Ensure adequate ventilation, especially in confined areas.<br>Avoid contact with the skin and the eyes.<br>When using do not eat, drink or smoke. |

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

|                        |                     |
|------------------------|---------------------|
| Appearance             | : liquid            |
| Color                  | : No data available |
| Odor                   | : characteristic    |
| Odor Threshold         | : No data available |
| pH                     | : 7, neutral        |
| Melting point/range    | : No data available |
|                        | : No data available |
| Flash point            | : 30 °C             |
| Evaporation rate       | : No data available |
| Burning rate           | : No data available |
| Upper explosion limit  | : No data available |
| Lower explosion limit  | : No data available |
| Vapor pressure         | : No data available |
| Relative vapor density | : No data available |
| Relative density       | : No data available |
| Density                | : 1.024 g/cm3       |
| Solubility(ies)        |                     |
| Water solubility       | : No data available |

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

|  |                     |
|--|---------------------|
| Solubility in other solvents           | : No data available |
| Partition coefficient: n-octanol/water | : No data available |
| Autoignition temperature               | : not determined    |
| Decomposition temperature              | : No data available |
| Viscosity                              |                     |
| Viscosity, dynamic                     | : No data available |
| Viscosity, kinematic                   | : No data available |
| Explosive properties                   | : No data available |
| Oxidizing properties                   | : No data available |

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : No decomposition if stored and applied as directed.  |
| Chemical stability                 | : No decomposition if stored and applied as directed.  |
| Possibility of hazardous reactions | : Stable under recommended storage conditions.<br>Hazardous decomposition products formed under fire conditions.<br>Vapors may form explosive mixture with air.<br>Keep away from oxidizing agents, and acidic or alkaline products. |
| Conditions to avoid                | : Heat, flames and sparks.   |
| Incompatible materials             | : No data available  |
| Hazardous decomposition products   | : No decomposition if stored and applied as directed.  |

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity**

Not classified based on available information.

**Product:**

|                           |  |
|---------------------------|--|
| Acute oral toxicity       | : No data available  |
|                           | Acute toxicity estimate: > 5,000 mg/kg<br>Method: Calculation method |
| Acute inhalation toxicity | : No data available  |
| Acute dermal toxicity     | : No data available  |

**Ingredients:**

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

**2-propanol:**

Acute oral toxicity : LD50 Oral (Rat): 5,045 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 12,800 mg/kg

**3-Morpholinopropane-1-sulfonic acid:**

Acute oral toxicity : LD50 Oral (Rat): 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Remarks:

May cause skin irritation and/or dermatitis.

**Ingredients:****2-propanol:**

Species: Rabbit

Result: Mild skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Remarks:

May cause irreversible eye damage.

**Ingredients:****2-propanol:**

Species: Rabbit

Result: Eye irritation

Exposure time: 24 h

**Respiratory or skin sensitization**

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

**Reproductive toxicity**

Not classified based on available information.

**STOT-single exposure**

Not classified based on available information.

**Ingredients:****2-propanol:**

Assessment: May cause drowsiness or dizziness.

**3-Morpholinopropane-1-sulfonic acid:**

Routes of exposure: Inhalation

Assessment: May cause respiratory irritation.

**STOT-repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks:

Solvents may degrease the skin.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

|                      |   |                   |
|----------------------|---|-------------------|
| Toxicity to fish     | : | No data available |
| Toxicity to algae    | : | No data available |
| Toxicity to bacteria | : | No data available |

**Ingredients:****2-propanol:**

|                  |   |  |
|------------------|---|--|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l<br>Exposure time: 96 h |
|------------------|---|--|

|                   |   |   |
|-------------------|---|---|
| Toxicity to algae | : | EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): 2,000 mg/l<br>Exposure time: 72 h |
|-------------------|---|---|

**3-Morpholinopropane-1-sulfonic acid:**

|   |   |  |
|---|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 100 mg/l<br>Exposure time: 48 h |
|---|---|--|

**Persistence and degradability**

No data available



**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

**Bioaccumulative potential****Product:**

Bioaccumulation : No data available

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Send to a licensed waste management company.  
Dispose of as hazardous waste in compliance with local and  
national regulations.Contaminated packaging : Dispose of as unused product.  
Do not re-use empty containers.

---

**SECTION 14. TRANSPORT INFORMATION****IATA-DGR**

UN/ID No. : UN 1987  
Proper shipping name : Alcohols, n.o.s.  
(ISOPROPANOL)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids

**IMDG-Code**

UN number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(ISOPROPANOL)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

UN/ID/NA number : UN 1987  
Proper shipping name : ALCOHOLS, N.O.S.  
(ISOPROPANOL)  
Class : 3  
Packing group : III  
Labels : Class 3 - Flammable Liquid  
ERG Code : 127  
Marine pollutant : no

---

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations**

**California Prop. 65** This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response;

**Buffer QC**

Version 1.0

Revision Date 08/25/2017

Print Date 01/03/2018

EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Revision Date : 08/25/2017

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.